

Exit Plan
Scale: 1/8"=1'-0"

Legend:

- ← "COMMON PATH OF EGRESS TRAVEL" IS LESS THAN 100'-0" (75'-0" FOR NO QUICK RESPONSE OR NON SPRINKLERED) AS ALLOWED FOR SPRINKLERED BUILDINGS WITH QUICK RESPONSE HEADS, PER 2006 IBC 1014.3, EXCEPTION #1.
- "TOTAL EXIT ACCESS TRAVEL DISTANCE" IS LESS THAN 300'-0" (200'-0" FOR NO QUICK RESPONSE OR NON SPRINKLERED) AS ALLOWED FOR SPRINKLERED BUILDINGS WITH QUICK RESPONSE HEADS.

JPC ARCHITECTS


909 112th Avenue NE Suite 206
Bellevue, WA 98004

Sinegal

Carillon Point
Bldg 3000 Floor 5
Suite 3520

Kirkland, WA 98033

DESIGN JPC
DRAWN TF/AN
CHECKED DB
NO. 11-0565



11/04/11 Space Plan for Pricing
11/21/11 Pricing Plan Revision
12/09/11 Permit Issue
12/23/11 CD Set

Exit Plan

I-CS-5

CITY OF KIRKLAND	
APPROVED FOR SUBMITTAL	
	Type of Review
	Initials / Date Exp. FT Reg M/F
Building	JS / 5/30/12
Planning	
Public Works	

OTC OK
CRG OTC OK

NO PLANNING REVIEW
NECESSARY CRG

CITY OF KIRKLAND BUILDING DEPARTMENT	
PERMIT #	BLD12-00054
ADDRESS	3525 CARILLON POINT
PLANS FOR	ADDITION/ALTERATION - COMMERCIAL
PROJECT	VACANT SPACE/COMM/TI
OWNER	CARILLON PROPERTIES
DATE SUBMITTED	01/30/2012
DATE APPROVED	4/30/12
APPROVED BY	